Author Index

Adami, P.	Development of an unsteady parallel approach for three-dimensional stator–rotor interaction	709–719
Agrawal, D. P.	Flow characteristics in the liner of a reverse-flow gas turbine combustor	443–451
Ainsworth, R. W.	Time-resolved vane–rotor–vane interaction in a transonic one-and-a-half stage turbine	675–685
Akhras, A.	Rotor–stator interaction in a centrifugal pump equipped with a vaned diffuser	809–817
Angelino, G.	Real gas Brayton cycles for organic working fluids	27–38
Aretakis, N.	Performance analysis of industrial gas turbines for engine condition monitoring	173–184
Arts, T.	Steady–unsteady measurements of the flow field downstream of a transonic high-pressure turbine stage	663–673
Arts, T.	Effects of Reynolds and Mach numbers on the profile losses of a conventional low-pressure turbine rotor cascade with an increasing pitch–chord ratio	763–772
Artt, D. W.	Experimental performance evaluation of a 99.0 mm radial inflow nozzled turbine with varying shroud profiles	267–280
Aungier, R.	The influence of inlet flow distortion on the performance of a centrifugal compressor and the development of an improved inlet using numerical simulations	323–338
Azoury, P. H.	Power and desalination in the Arabian Gulf region: an overview	405–419
Bade Shrestha, S. O.	An experimental and analytical examination of the combustion period for gas-fuelled spark ignition engine applications	63–74
Bansal, P. K.	Different modelling strategies for *in situ* liquid chillers	357–374
Barbosa, J. R.	An insight on intercooling and reheat gas turbine cycles	163–171
Bardoux, F.	Impact of deterministic correlations on the steady flow field	687–698
Bassily, A. M.	Performance improvements of the intercooled reheat regenerative gas turbine cycles using indirect evaporative cooling of the inlet air and evaporative cooling of the compressor discharge	545–557
Basu, D.	Film cooling on a turbine guide vane: a numerical analysis with a multigrid technique	39–53
Baumgarten, S.	Numerical simulation of the flow in a boiler circulating pump	793–800
Belardini, E.	Development of an unsteady parallel approach for three-dimensional stator–rotor interaction	709–719
Benini, E.	A parametric method for optimal design of two-dimensional cascades	465–473
Benisek, E.	A comparative study of incompressible and compressible design approaches of radial inflow turbine volutes	475–486
Bharani, S.	Flow characteristics in the liner of a reverse-flow gas turbine combustor	443–451
Bois, G.	Analysis of flow velocities within the impeller and the vaneless diffuser of a radial flow pump	801–808
Bölcs, A.	Particle image velocimetry investigation of the flow characteristics in two-leg internal coolant passages of gas turbine airfoils	743–752
Bounif, A.	Thermal field structures in low Damkôhler reacting flows	245–265
Brown, J. M. B.	Model-based predictive control using genetic algorithms	623–638
Browne, M. W.	Different modelling strategies for *in situ* liquid chillers	357–374
Brzeski, L.	Experimental investigations of the externally heated valve engine model	487–494
Burnside, B. M.	An experimental study of low-pressure filmwise condensation on a small in-line tube bank	231–243
Cai, N.	Thermal performance study for the coal-fired combined cycle with partial gasification and fluidized bed combustion	421–427
Caignaert, G.	Analysis of flow velocities within the impeller and the vaneless diffuser of a radial flow pump	801–808
Carapellucci, R.	Performance of integrated gasification combined cycle power plants integrated with methanol synthesis processes	347–356
Carcasci, C.	Part load operating strategies for gas turbines in district heating applications	529–544
Cau, G.	Performance of integrated gasification combined cycle power plants integrated with methanol synthesis processes	347–356
Champagne, J. Y.	Rotor–stator interaction in a centrifugal pump equipped with a vaned diffuser	809–817
Chanteloup, D.	Particle image velocimetry investigation of the flow characteristics in two-leg internal coolant passages of gas turbine airfoils	743–752

© IMechE 2001

Author Index

Adami, P.	Development of an unsteady parallel approach for three-dimensional stator–rotor interaction	709–719
Agrawal, D. P.	Flow characteristics in the liner of a reverse-flow gas turbine combustor	443–451
Ainsworth, R. W.	Time-resolved vane–rotor–vane interaction in a transonic one-and-a-half stage turbine	675–685
Akhras, A.	Rotor–stator interaction in a centrifugal pump equipped with a vaned diffuser	809–817
Angelino, G.	Real gas Brayton cycles for organic working fluids	27–38
Aretakis, N.	Performance analysis of industrial gas turbines for engine condition monitoring	173–184
Arts, T.	Steady–unsteady measurements of the flow field downstream of a transonic high-pressure turbine stage	663–673
Arts, T.	Effects of Reynolds and Mach numbers on the profile losses of a conventional low-pressure turbine rotor cascade with an increasing pitch–chord ratio	763–772
Artt, D. W.	Experimental performance evaluation of a 99.0 mm radial inflow nozzled turbine with varying shroud profiles	267–280
Aungier, R.	The influence of inlet flow distortion on the performance of a centrifugal compressor and the development of an improved inlet using numerical simulations	323–338
Azoury, P. H.	Power and desalination in the Arabian Gulf region: an overview	405–419
Bade Shrestha, S. O.	An experimental and analytical examination of the combustion period for gas-fuelled spark ignition engine applications	63–74
Bansal, P. K.	Different modelling strategies for *in situ* liquid chillers	357–374
Barbosa, J. R.	An insight on intercooling and reheat gas turbine cycles	163–171
Bardoux, F.	Impact of deterministic correlations on the steady flow field	687–698
Bassily, A. M.	Performance improvements of the intercooled reheat regenerative gas turbine cycles using indirect evaporative cooling of the inlet air and evaporative cooling of the compressor discharge	545–557
Basu, D.	Film cooling on a turbine guide vane: a numerical analysis with a multigrid technique	39–53
Baumgarten, S.	Numerical simulation of the flow in a boiler circulating pump	793–800
Belardini, E.	Development of an unsteady parallel approach for three-dimensional stator–rotor interaction	709–719
Benini, E.	A parametric method for optimal design of two-dimensional cascades	465–473
Benisek, E.	A comparative study of incompressible and compressible design approaches of radial inflow turbine volutes	475–486
Bharani, S.	Flow characteristics in the liner of a reverse-flow gas turbine combustor	443–451
Bois, G.	Analysis of flow velocities within the impeller and the vaneless diffuser of a radial flow pump	801–808
Bölcs, A.	Particle image velocimetry investigation of the flow characteristics in two-leg internal coolant passages of gas turbine airfoils	743–752
Bounif, A.	Thermal field structures in low Damkôhler reacting flows	245–265
Brown, J. M. B.	Model-based predictive control using genetic algorithms	623–638
Browne, M. W.	Different modelling strategies for *in situ* liquid chillers	357–374
Brzeski, L.	Experimental investigations of the externally heated valve engine model	487–494
Burnside, B. M.	An experimental study of low-pressure filmwise condensation on a small in-line tube bank	231–243
Cai, N.	Thermal performance study for the coal-fired combined cycle with partial gasification and fluidized bed combustion	421–427
Caignaert, G.	Analysis of flow velocities within the impeller and the vaneless diffuser of a radial flow pump	801–808
Carapellucci, R.	Performance of integrated gasification combined cycle power plants integrated with methanol synthesis processes	347–356
Carcasci, C.	Part load operating strategies for gas turbines in district heating applications	529–544
Cau, G.	Performance of integrated gasification combined cycle power plants integrated with methanol synthesis processes	347–356
Champagne, J. Y.	Rotor–stator interaction in a centrifugal pump equipped with a vaned diffuser	809–817
Chanteloup, D.	Particle image velocimetry investigation of the flow characteristics in two-leg internal coolant passages of gas turbine airfoils	743–752

© IMechE 2001

Chiavola, O.	Integrated modelling of internal combustion engine intake and exhaust systems	495–506
Chung, M. K.	A new slip factor for centrifugal impellers	645–649
Cocco, D.	Performance of integrated gasification combined cycle power plants integrated with methanol synthesis processes	347–356
Colitto Cormacchione, N. A.	Part load operating strategies for gas turbines in district heating applications	529–544
Coton, T.	Effects of Reynolds and Mach numbers on the profile losses of a conventional low-pressure turbine rotor cascade with an increasing pitch–chord ratio	763–772
Cuthbertson, G.	An experimental study of low-pressure filmwise condensation on a small in-line tube bank	231–243
da Cunha Alves, M. A.	An insight on intercooling and reheat gas turbine cycles	163–171
Damangir, A.	A study of slip factor and velocity components at the rotor exit of forward-curved squirrel cage fans, using laser Doppler anemometry	453–463
Dang, C.	A preliminary study of the use of genetic algorithms in flowfield numerical analysis	203–212
Das, K.	Film cooling on a turbine guide vane: a numerical analysis with a multigrid technique	39–53
Datta, D.	Frost formation and defrost control parameters for open multideck refrigerated food display cabinets	213–222
de Franca Mendes Carneiro, H. F.	An insight on intercooling and reheat gas turbine cycles	163–171
Dénos, R.	Steady–unsteady measurements of the flow field downstream of a transonic high-pressure turbine stage	663–673
Desideri, U.	Power pipe: an algorithm for analysis for single-phase, steady state, pipe networks with second-degree boundary conditions	519–525
Dickmann, H.-P.	Numerical and experimental investigation of a centrifugal compressor with an inducer casing bleed system	783–791
Di Maria, F.	Power pipe: an algorithm for analysis for single-phase, steady state, pipe networks with second-degree boundary conditions	519–525
Direnzi, G.	The influence of inlet flow distortion on the performance of a centrifugal compressor and the development of an improved inlet using numerical simulations	323–338
Doran, W. J.	Experimental performance evaluation of a 99.0 mm radial inflow nozzled turbine with varying shroud profiles	267–280
Duboué, J. M.	Aerothermal predictions with transition models for high-pressure turbine blades	735–742
Dulikravich, G. S.	Optimization of multistage turbines using a through-flow code	559–569
Dupleac, R.	Experimental database for a cogeneration gas engine efficiency prediction	55–62
Dupont, P.	Analysis of flow velocities within the impeller and the vaneless diffuser of a radial flow pump	801–808
Eames, I. W.	A theoretical and experimental study of a novel recompression absorption refrigeration cycle	75–87
El Hajem, M.	Rotor–stator interaction in a centrifugal pump equipped with a vaned diffuser	809–817
Emmrich, R.	Numerical and experimental investigation of a centrifugal compressor with an inducer casing bleed system	783–791
Engeda, A.	The design and performance results of simple flat plate low solidity vaned diffusers	109–118
Engeda, A.	The influence of inlet flow distortion on the performance of a centrifugal compressor and the development of an improved inlet using numerical simulations	323–338
Engeda, A.	A comparative study of incompressible and compressible design approaches of radial inflow turbine volutes	475–486
Engeda, A.	The unsteady performance of a centrifugal compressor with different diffusers	585–599
Fan, H.-Y.	A preliminary study of the use of genetic algorithms in flowfield numerical analysis	203–212
Farid, M.	Underfloor heating with latent heat storage	601–609
French, M. J.	The exploitation of low-head hydropower by pressure interchange with air, using siphons	223–230
Fritz, J.	Numerical simulation of the flow in a boiler circulating pump	793–800
Gato, L. M. C.	An experimental investigation into the effect of rotor blade sweep on the performance of the variable-pitch Wells turbine	611–622
Giangiacomo, P.	On the choice of variables and matching criteria for the steady simulation of transonic axial turbine stages	699–708
Gökalp, I.	Thermal field structures in low Damkôhler reacting flows	245–265
Grace, I. N.	Simulation of the performance of alternative refrigerants in liquid chillers	429–441
Gregory-Smith, D. G.	Non-axisymmetric turbine end wall profiling	721–734
Gu, F.	A comparative study of incompressible and compressible design approaches of radial inflow turbine volutes	475–486
Guha, A.	An efficient generic method for calculating the properties of combustion products	375–387
Guha, A.	Performance and optimizaton of gas turbines with real gas effects	507–512

© IMechE 2001

Hammond, G. P.	Exergy analysis of the United Kingdom energy system	141–162
Harvey, N. W.	Time-resolved vane–rotor–vane interaction in a transonic one-and-a-half stage turbine	675–685
Harvey, N. W.	Non-axisymmetric turbine end wall profiling	721–734
He, L.	Numerical investigation into the effects of a radial gap on hydraulic turbine performance	99–107
He, L.	Single-passage solution of three-dimensional unsteady flows in a transonic fan rotor	653–662
Heriot, I. D.	Stabilization of the Chernobyl Shelter	1–11
Hunziker, R.	Numerical and experimental investigation of a centrifugal compressor with an inducer casing bleed system	783–791
Ichikawa, A.	Model-based predictive control using genetic algorithms	623–638
Ingram, G.	Non-axisymmetric turbine end wall profiling	721–734
Invernizzi, C.	Real gas Brayton cycles for organic working fluids	27–38
Jayaraman, P.	Non-axisymmetric turbine end wall profiling	721–734
Joshi, J. C.	Determination of daily volume of pumped water as a function of mechanical energy from a photovoltaic water-pumping system	399–402
Karim, G. A.	An experimental and analytical examination of the combustion period for gas-fuelled spark ignition engine applications	63–74
Kazemi Fard, A.	A study of slip factor and velocity components at the rotor exit of forward-curved squirrel cage fans, using laser Doppler anemometry	453–463
Kazimierski, Z.	Experimental investigations of the externally heated valve engine model	487–494
Kim, J. H.	Performance prediction of axial flow compressors using stage characteristics and simultaneous calculation of interstage parameters	89–98
Kim, J. H.	Analysis of the dynamic behaviour of regenerative gas turbines	339–346
Kim, K.-Y.	Conceptual design optimization of mixed-flow pump impellers using mean streamline analysis	133–138
Kim, K.-Y.	Mean streamline performance analysis of mixed-flow fan impellers covering the low flowrate characteristics	513–518
Kim, T. S.	Performance prediction of axial flow compressors using stage characteristics and simultaneous calculation of interstage parameters	89–98
Kim, T. S.	Analysis of the dynamic behaviour of regenerative gas turbines	339–346
Kim, Y.	The influence of inlet flow distortion on the performance of a centrifugal compressor and the development of an improved inlet using numerical simulations	323–338
Kirirat, P.	Strategy for optimal operation of a biomass-fired cogeneration power plant	13–26
Kitanovski, A.	Efficiency of a district heating network serving hot water absorption chillers	185–190
Knierim, C.	Numerical simulation of the flow in a boiler circulating pump	793–800
Kolhe, M.	Determination of daily volume of pumped water as a function of mechanical energy from a photovoltaic water-pumping system	399–402
Kolhe, S.	Determination of daily volume of pumped water as a function of mechanical energy from a photovoltaic water-pumping system	399–402
Kong, W. J.	Underfloor heating with latent heat storage	601–609
Krukanont, P.	Strategy for optimal operation of a biomass-fired cogeneration power plant	13–26
Lakshminarayana, B.	Three-dimensional flow field downstream of an embedded stator in a multistage axial flow compressor. Part 1: steady and unsteady flow fields	281–299
Lakshminarayana, B.	Three-dimensional flow field downstream of an embedded stator in a multistage axial flow compressor. Part 2: deterministic stress and heat flux distribution and average-passage equation system	301–321
Leboeuf, F.	Impact of deterministic correlations on the steady flow field	687–698
Leduc, B.	Experimental database for a cogeneration gas engine efficiency prediction	55–62
Lefèbvre, M.	Effects of Reynolds and Mach numbers on the profile losses of a conventional low-pressure turbine rotor cascade with an increasing pitch–chord ratio	763–772
Li, H. D.	Single-passage solution of three-dimensional unsteady flows in a transonic fan rotor	653–662
Li, Y. G.	Influence of deterministic stresses on flow prediction of a low-speed axial flow compressor rear stage	571–583
McNeil, D. A.	An experimental study of low-pressure filmwise condensation on a small in-line tube bank	231–243
Mahé, P.	Aerothermal predictions with transition models for high-pressure turbine blades	735–742
Mahieu, V.	Experimental database for a cogeneration gas engine efficiency prediction	55–62
Marriott, D.	Frost formation and defrost control parameters for open multideck refrigerated food display cabinets	213–222
Martelli, F.	On the choice of variables and matching criteria for the steady simulation of transonic axial turbine stages	699–708
Martelli, F.	Development of an unsteady parallel approach for three-dimensional stator–rotor interaction	709–719

© IMechE 2001

Martin, T. J.	Optimization of multistage turbines using a through-flow code	559–569
Mathioudakis, K.	Performance analysis of industrial gas turbines for engine condition monitoring	173–184
Meng, J.-a.	Reasons and repair plans for cracks in the regenerator of heavy oil catalytic cracking units	639–644
Michelassi, V.	On the choice of variables and matching criteria for the steady simulation of transonic axial turbine stages	699–708
Miller, R. J.	Time-resolved vane–rotor–vane interaction in a transonic one-and-a-half stage turbine	675–685
Montazerin, N.	A study of slip factor and velocity components at the rotor exit of forward-curved squirrel cage fans, using laser Doppler anemometry	453–463
Morel, R.	Rotor–stator interaction in a centrifugal pump equipped with a vaned diffuser	809–817
Moss, R. W.	Time-resolved vane–rotor–vane interaction in a transonic one-and-a-half stage turbine	675–685
Müller, T.	Numerical simulation of the flow in a boiler circulating pump	793–800
Ngamsritragul, P.	Strategy for optimal operation of a biomass-fired cogeneration power plant	13–26
Oh, H. W.	Conceptual design optimization of mixed-flow pump impellers using mean streamline analysis	133–138
Oh, H. W.	Mean streamline performance analysis of mixed-flow fan impellers covering the low flowrate characteristics	513–518
Paeng, K. S.	A new slip factor for centrifugal impellers	645–649
Paniagua, G.	Steady–unsteady measurements of the flow field downstream of a transonic high-pressure turbine stage	663–673
Petrovic, M. V.	Optimization of multistage turbines using a through-flow code	559–569
Pilidis, P.	An insight on intercooling and reheat gas turbine cycles	163–171
Poredoš, A.	Efficiency of a district heating network serving hot water absorption chillers	185–190
Prasertsan, S.	Strategy for optimal operation of a biomass-fired cogeneration power plant	13–26
Prato, J.	Three-dimensional flow field downstream of an embedded stator in a multistage axial flow compressor. Part 1: steady and unsteady flow fields	281–299
Prato, J.	Three-dimensional flow field downstream of an embedded stator in a multistage axial flow compressor. Part 2: deterministic stress and heat flux distribution and average-passage equation system	301–321
Ramsden, K. W.	An insight on intercooling and reheat gas turbine cycles	163–171
Ro, S. T.	Performance prediction of axial flow compressors using stage characteristics and simultaneous calculation of interstage parameters	89–98
Ro, S. T.	Analysis of the dynamic behaviour of regenerative gas turbines	339–346
Rose, M. G.	Non-axisymmetric turbine end wall profiling	721–734
Rousseau, S.	Experimental database for a cogeneration gas engine efficiency prediction	55–62
Roux, J. M.	Aerothermal predictions with transition models for high-pressure turbine blades	735–742
Sarkar, S.	Film cooling on a turbine guide vane: a numerical analysis with a multigrid technique	39–53
Sato, K.	Numerical investigation into the effects of a radial gap on hydraulic turbine performance	99–107
Sauthier, B.	Aerothermal predictions with transition models for high-pressure turbine blades	735–742
Schnerr, G. H.	Nucleating unsteady flows in low-pressure steam turbine stages	773–782
Singh, S. N.	Flow characteristics in the liner of a reverse-flow gas turbine combustor	443–451
Song, T. W.	Performance prediction of axial flow compressors using stage characteristics and simultaneous calculation of interstage parameters	89–98
Spence, S. W. T.	Experimental performance evaluation of a 99.0 mm radial inflow nozzled turbine with varying shroud profiles	267–280
Stamatis, A.	Performance analysis of industrial gas turbines for engine condition monitoring	173–184
Stanislas, M.	Analysis of flow velocities within the impeller and the vaneless diffuser of a radial flow pump	801–808
Stapleton, A. J.	Exergy analysis of the United Kingdom energy system	141–162
Stoffel, B.	Numerical simulation of wake velocity and wake turbulence effects on unsteady boundary layer transition	753–762
Sun, J.	Off-design performance prediction for diffuser pumps	191–201
Suryavamshi, N.	Three-dimensional flow field downstream of an embedded stator in a multistage axial flow compressor. Part 1: steady and unsteady flow fields	281–299
Suryavamshi, N.	Three-dimensional flow field downstream of an embedded stator in a multistage axial flow compressor. Part 2: deterministic stress and heat flux distribution and average-passage equation system	301–321
Tabet-Hellal, F.	Thermal field structures in low Damkôhler reacting flows	245–265
Tassou, S. A.	Frost formation and defrost control parameters for open multideck refrigerated food display cabinets	213–222
Tassou, S. A.	Simulation of the performance of alternative refrigerants in liquid chillers	429–441
Tazerout, M.	Experimental database for a cogeneration gas engine efficiency prediction	55–62

© IMechE 2001

Thurso, J.	Numerical simulation of wake velocity and wake turbulence effects on unsteady boundary layer transition	753–762
Toffolo, A.	A parametric method for optimal design of two-dimensional cascades	465–473
Tourlidakis, A.	Influence of deterministic stresses on flow prediction of a low-speed axial flow compressor rear stage	571–583
Travieso, L. E.	An insight on intercooling and reheat gas turbine cycles	163–171
Tsalavoutas, A.	Performance analysis of industrial gas turbines for engine condition monitoring	173–184
Tsukamoto, H.	Off-design performance prediction for diffuser pumps	191–201
Vardy, A. E.	Model-based predictive control using genetic algorithms	623–638
Webster, M.	An experimental investigation into the effect of rotor blade sweep on the performance of the variable-pitch Wells turbine	611–622
Welford, G.	Thermal performance study for the coal-fired combined cycle with partial gasification and fluidized bed combustion	421–427
Widden, M. B.	The exploitation of low-head hydropower by pressure interchange with air, using siphons	223–230
Winkler, G.	Nucleating unsteady flows in low-pressure steam turbine stages	773–782
Wu, S.	A theoretical and experimental study of a novel recompression absorption refrigeration cycle	75–87
Wuibaut, G.	Analysis of flow velocities within the impeller and the vaneless diffuser of a radial flow pump	801–808
Xiao, J.	Thermal performance study for the coal-fired combined cycle with partial gasification and fluidized bed combustion	421–427
Yam, R.	A preliminary study of the use of genetic algorithms in flowfield numerical analysis	203–212
Yau, Y. H.	Theoretical determination of effectiveness for heat pipe heat exchangers operating in naturally ventilated tropical buildings	389–397
Yedidiah, S.	Practical applications of a recently developed method for calculating the head of a rotodynamic impeller	119–131
Yu, T.	Thermal performance study for the coal-fired combined cycle with partial gasification and fluidized bed combustion	421–427

© IMechE 2001